

Madison New PK-5 Elementary School
State Project No. 076-0067
Gilbane Job No. J09867.000
Bid RFI Log
Supplement #2 - 01/16/2024



Bid RFI #	Date Submitted	Discipline	Drawing / Spec Reference	Question	Open / Closed	Date Answered	Answer	Responsible Party	Issued to Trades
1	12/22/2023	MEPS		BP27A (Audio Visual) specific scope # 5 States to coordinate with 26B and 27B for lockdown strobes. BP27A is to cable and provide the strobes. Please consider the following to avoid confusion/ and have less hands on the system: 26B provides the lockdown strobes because they are a security item and need to be interfaced with the security head end. 27B can cable it if preferred but 27A AV should have no part in this scope.	Closed	1/12/2024	BP 26B shall provide the lock down strobes and cabling shown on the TN drawings	Gilbane	Supplement #1
2	12/22/2023	MEPS	28 31 11	Is the Fire Alarm spec open to equals? The spec says "2.01 MANUFACTURERS A. Subject to compliance with requirements, provide product indicated on drawings as manufactured by NOTIFIER; a Honeywell company."	Closed	1/9/2024	KR: No. Provide fire alarm system from Notifier as specified per Town's request.	Kohler Ronan	Supplement #1
3	12/26/2023	Glazing		In the Advertisement to Bid it lists the DAS prequalification classification as Metal Panels, please confirm if this is accurate?	Closed	1/2/2024	GBC: Reference the revised 00 11 13 Advertisement for Bids and revised 00 45 13 Bidders Qualifications issued in Supplement #1, the DAS prequalification classification for the 08A Bid Package has been corrected to "Doors and Windows".	Gilbane	Supplement #1
4	12/29/2023	Civil	L1.0 & L4.1	Reference sheet L1.0 & L4.1, Aluminum Louver fence. is it possible to get an enlarged layout plan for this area. The Louver type fence is custom made to fit exactly and the materials plan sheet is difficult to verify the layout and exact footages needed.	Closed	1/16/2024	Benesch Response: We will provide a enlarged plan layout for the Louver Fence	Benesch	Supplement #2
5	12/29/2023	Civil	L1.0 & L4.1 & 32 31 29	Regarding the louver fence, please clarify the following: The plan sheet (L1.0) says its 8' high, detail (L4.1) says 10' The plan sheet says Aluminum, but the specs (32 31 29) read Steel?	Closed	1/11/2024	Benesch Response: Louver-style Fence to be 10 feet tall and to be constructed of steel according to the specifications.	Benesch	Supplement #1
6	12/29/2023	MEPS	P4.02	Regarding the above grade kitchen waste the pipe & fitting schedule on P4.02 calls for all kitchen waste to be Service weight cast iron and heat traced. 1)Does this only apply to under slab? 2) Can above slab waste & vent be piped with no hub cast iron? 3) Is heat trace required above slab?	Closed	1/9/2024	KR: 1.This applies to underground only. Above ground to approximately 6" above fin floor. 2. No hub cast iron is acceptable above floor. 3 heat trace is not required above slab where lines are provided clean out for snaking.	Kohler Ronan	Supplement #1
7	12/29/2023	General		What is the Connecticut state reimbursement percentage on this project?	Closed	1/12/2024	GBC Response: 28.21%	Gilbane	Supplement #1
8	12/29/2023	Architectural	09 51 13	AT1 & AT2 appear in the spec 095113 2.06 and Finish Legend. Please provide details where these occur.	Closed	1/9/2024	TA: AT-2 is an 8" tall Axiom ceiling trim used at the perimeter of the APC-5 ceiling clouds. AT-1 is a 12" tall Axiom trim and is not used in the project, a revised spec section deleting the reference will be issued under addendum #1	Tecton	Supplement #1
9	12/29/2023	Architectural	09 51 13	LWP-1 (linear wood ceiling) appears in the spec 095113 2.07 but was not found on the RCPs or Finish Legend. Are there wood ceilings on the project?	Closed	1/9/2024	TA: LWP-1 ceiling are not in the project scope, a revised spec section deleting the reference will be issued under addendum #1	Tecton	Supplement #1
10	12/29/2023	Architectural	09 84 36	Tectum Wall Panels – AWP-2 found in spec 098436 2.03 C 2. And 11. call for 2 different mounting methods Type A direct mount and Z-clip respectively. Which mounting method is required?	Closed	1/9/2024	TA: All Tectum wall panels are direct mount, a revised spec section deleting the z-clip reference will be issued under addendum #1	Tecton	Supplement #1
11	12/22/2023	MEPS		Reference 26B electrical specific scope #19: 26B is to provide video surveillance in its entirety including wiring. However in sub section ii its states "the final receptacle for cams will be provided by 27A" Cameras require a CAT 6/6A and no power. Which BP provides copper/fiber to site cameras and interior cameras along with patch panels and terminations?	Closed	1/12/2024	All video surveillance wiring shall be by BP 26B	Gilbane	Supplement #1

				Reference Spec 28 31 11 Digital, Addressable Fire Alarm System Section 2.01 Manufacturers. Siemens/Cerberus Fire Alarm is a comparable product to the brands listed & capable of all specified requirements. With multiple providers of the Siemens/Cerberus brand in Connecticut, the State will always have a choice in a maintenance contractor. Will Siemens/Cerberus be an acceptable substitution Fire Alarm provider? Reference the attachment "RFI #12 Siemens Cerberus Substitution request form".	Closed	1/9/2024	KR: No. Provide fire alarm system from Notifier as specified per Town's request.	Kohler Ronan	Supplement #1
12	1/3/2024	MEPS	28 31 11						
13	1/4/2024	Architectural	10 21 23 & 10.10	Materials Schedule calls for FAB-1 (spec 102123 Cubicles) in "Nurses Area". Assuming that is room M13 Health Service no curtains are shown on the Floor Plan or RCP. Please clarify. 10.10 indicates to include four (4) 72" wide curtains / tracks. Please confirm this is accurate and provide layout required.	Closed	1/9/2024	TA: Curtain tracks and curtain are required in M13 Health Service, a revised RCP with track layout will be issued under addendum #1	Tecton	Supplement #1
14	1/4/2024	Envelope	23 05 48	Section 230548-3.05 "Roof Equipment Curbs" states: Contractor (mechanical) shall coordinate project requirements for roof pitch prior to submitting on curbs. Curbs shall be manufactured to accommodate architectural roof pitch in lieu of blocking or additional structural steel. Equipment shall be mechanically fastened to the roof curb. Roof curbs shall be seismic rated where required by the seismic design category indicated in this specification section. Roofing scope item #19/07A states "provide wood blocking to a level elevation for all rooftop MEP equipment...". Spec section 230548-3.05 states curbs shall be manufactured roof height/pitch in lieu of blocking. Shall the roofing contractor assume that per the 230548 specification that NO blocking is required at any of the curb penetrations at the roof level?	Closed	1/8/2024	GBC Response: Roofer shall include blocking for mechanical equipment curbs as shown on the Roof Details (A2.20 & A2.21).	Gilbane	Supplement #1
15	1/4/2024	Envelope	07 54 23	Section 075423-2.06E "Substrate Board" specs a substrate board of 1/2" DensDeck but this is not shown in any details. Please indicate where the substrate board is to be installed.	Closed	1/9/2024	TA: Substrate board is not in the project scope, a revised spec section deleting the reference will be issued under addendum #1	Tecton	Supplement #1
16	1/4/2024	Envelope		Please indicate what roof level blocking is to be fire treated and what blocking is to be standard pressure treated. Per 06 10 53 2.03 - Fire treated wood required at interior concealed wood and plywood blocking in wall framing and window opening framing. Also at plywood backing panels and any applications or locations specifically noted on the drawings and specs. Please confirm all roof level blocking is standard pressure treated.	Closed	1/11/2024	TA: see response to RFI #31	Tecton	Supplement #1
17	1/4/2024	Envelope	E12/A5.20	Reference the attached screenshot (detail E12/ A5.20) the highlighted blocking (immediately below the plywood roof edge blocking) is non-constructible due to inability to fasten blocking to structure. Please consider revising the detail to show a steel angle fastened to studs by others in lieu of the highlighted blocking. On similar projects an angle was used in lieu of blocking.	Closed	1/16/2024	TA: the triple 2x blocking gets attached back to the CFMF studs, the detail is structurally sound as drawn.	Tecton	Supplement #2
18	1/5/2024	MEPS	P4.01	The Plumbing schedule on P4.01 lists Hose Bibs HB-1, but none are shown in the plans (bathrooms or mechanical spaces). Please advise where they are required.	Closed	1/9/2024	KR: Refer to detail 7/P5.02. The intent is for the HB1 to be installed at the group bathrooms at the lavatory basin.	Kohler Ronan	Supplement #1
19	1/8/2024	Civil	B4/L4.2	Wood guard rail detail B4/L4.2 says 10" posts & 5" x 8" rails. Specs section 32 31 29, 2.1 B, read western red cedar 8" posts and 4" x 8" rails. Which is correct?	Closed	1/11/2024	Benesch Response: Posts are to be 12" square tapering to 10" square at top of post. Rails are to be 5" x 8" in size. Posts and rails to be constructed from western red cedar.	Benesch	Supplement #1
20	1/8/2024	Architectural	A8.10	Please define material type of Doors L10A and L10D on the A8.10 Door Schedule	Closed	1/9/2024	TA: Doors L10A and L10D are aluminum storefront systems, refer to elevation SF16 on drawing A8.20	Tecton	Supplement #1
21	1/8/2024	Architectural	A8.20-A8.22	Glass Types GL-3B and GL-5 are listed as "security" glazing. Please note if any alum framed entrances or frames require ballistic ratings.	Closed	1/9/2024	TA: Ballistic rated frames are not required.	Tecton	Supplement #1
22	1/8/2024	Architectural	A8.20-A8.22	Glass Type GL-2 is listed as "fire-rated", but not found on any storefront elevations. Please advise if any fire-rated glazing is required for aluminum storefronts or curtainwall openings.	Closed	1/16/2024	TA: Glass Type GL-2 is used at interior fire rated doors M44A, M44B, M79A & M79B. A Revised door schedule will be issued un Addendum #2 changes these door openings from 'F' type door panels to 'N' type door panels with vision lites.	Tecton	Supplement #2
23	1/8/2024	Civil	L3.0-L3.2	BP 32B Specific Scope (Item # 5) states that we are to provide all plantings, trees, shrubs, groundcover, seed mix as shown. However, on page 7 of the Bid Proposal Form, Alternate No. 12 states that landscape plantings throughout the site are an alternate. Please clarify the scope for alternate No. 12. It appears that drawing L3.0 shows plantings associated with Alternate #12. What is the intent of drawing L3.1 and L3.2? It appears that some of the plantings listed as Alternate 12 on L3.0 are still included in the Quantity column on Alternate Planting Schedule L3.1.	Closed	1/11/2024	Benesch Response: Individual plants are called out on sheet L3.0 to be included in Alternate #12. All plants that are alternates are included in the Plant Schedule Exterior and have not been broken out into a separate alternate schedule. Sheet L3.1 L3.2 was never issued as part of the Bid Documents - the only sheets issued for plantings are L3.0 and L3.1.	Benesch	Supplement #1
24	1/8/2024	Structural	00 93 19	In the Scope of Work Clarification Drawings (Gilbane Project Manual, 00 93 19), sheet S6.02 assigns the CMU to BPO3A. Please confirm this "03A" tag should be replaced with "04A."	Closed	1/9/2024	GBC Response: The "03A" call out on 10/S6.02 in the Scope of Work Clarification Drawings (Gilbane Project Manual specification 00 93 19) shall be replaced with "04A."	Gilbane	Supplement #1

25	1/8/2024	Structural	00 93 19	In the Scope of Work Clarification Drawings (Gilbane Project Manual, 00 93 19), sheet A5.23 detail K7 calls out "03A" for the RIGID INSULATION THERMAL BREAK." Most or all other details like this call for BP31B to provide the rigid. Please clarify.	Closed	1/9/2024	GBC Response: The "03A" call out on K7/A5.23 in the Scope of Work Clarification Drawings (Gilbane Project Manual specification 00 93 19) shall be replaced with "32A." BP32A shall provide the vertical piece of rigid insulation (often noted as "thermal break") between the exterior SOG and the interior SOG. BP31B shall provide the vertical insulation backfilled against the foundation wall and the horizontal insulation between the exterior SOG and the foundation wall.	Gilbane	Supplement #1
26	1/8/2024	Structural	S6.02	The thickened slab detail 7/S6.02 shows (2) #4 w/ alternate bends coming out of the SOG haunch for CMU. There is a note that gives the option for drilling and epoxying these dowels. Does the option for drilling and epoxy also apply to 10/S6.02, which is also a thickened slab detail?	Closed	1/11/2024	MHAI: Yes, the option is applicable to 10/S6.02. Refer to S6.02 Addendum 1 for clarity on the required drill depth for detail 10. Additionally, the titles of both details have been revised to account for the specific areas each detail applies. Please note, (1)#4 reinforcement dowel is required within detail 7; the intent was to illustrate an alternating leg if the bar is cast. The detail has been revised for clarity purposes within the aforementioned Addendum. GBC Response: All bars at haunched slabs for CMU will be drill and epoxy by BP 04A per Supplement #1.	MHAI	Supplement #1
27	1/9/2024	Structural & Misc.		Please confirm you are looking for two separate packages for structural steel and miscellaneous metals. BP05A states prequalification classification as "IRON: STRUCTURAL & MISCELLANEOUS".	Closed	1/9/2024	GBC Response: Confirmed the 05A Structural Steel and 05B Miscellaneous Metals packages are two different packages. DAS prequalification is required for the 05A Structural Steel package, but not required for the 05B Misc. Metals package.	Gilbane	Supplement #1
28	1/9/2024	Structural & Misc.		Per 002113 please confirm that M/WBE and SBE percents are goals only and not requirements – the BP05A package seems to indicate that the disenfranchised vendors are a requirement	Closed	1/9/2024	GBC Response: Each package has a goal of 25% SBE and 6.25% MBE participation. Packages indicated as "Set Aside" are eligible for bidding by certified "Small Business Enterprises" or "Minority Business Enterprises" pursuant to section 4a-60g of the Connecticut General Statutes. The 05B Misc. Metals package is designated as a Set Aside package.	Gilbane	Supplement #1
29	1/9/2024	Structural	05 12 00	Per Spec Section 05 12 00 Steel Framing, both the fabricator and the erector are required to be AISC certified. Please confirm both the fabricator and erector AISC Certifications are required for this project.	Closed	1/16/2024	MHAI: both the fabricator and erector are required to be AISC certified	MHAI	Supplement #2
30	1/9/2024	Envelope	07 62 00	The specifications (07 62 00) call out 16 OZ ZT for counter flashings at the roof level. However, it raises a concern about potential use at curb and RTU (Roof-Top Unit) flashings, where the units are likely to be made of aluminum. Using this product may result in dissimilar metals meeting at these locations, which could lead to compatibility issues. It is advisable to replace all unit flashings with 040 aluminum.	Closed	1/16/2024	TA: equipment and HVAC curb details do not call for ZT copper counter flashings. In the limited instances where ZT copper is in contact with aluminum flashings provide a non-reactive slip sheet between the two materials. Additionally these materials are all relatively close to one another on the galvanic chart and should have limited reaction to one another.	Tecton	Supplement #2
31	1/9/2024	Envelope		The parapet sheathing and blocking is shown to be fire rated. Adhering parapet flashing directly to FR lumber is not recommended because the chemicals in the wood can compromise the adhesive bond, leading to failure over time (not covered under warranty). To ensure proper adherence of flashings, it is advisable to replace all roof-level blocking with PT (pressure-treated) materials. See also RFI #016.	Closed	1/11/2024	TA: All exterior wood blocking and plywood sheathing under / behind the TPO roofing system shall be PT (Pressure-treated).	Tecton	Supplement #1
32	1/9/2024	Envelope		Please provide locations where we are to install insulation in the deck (provided by others)?	Closed	1/10/2024	GBC Response: Acoustical roof deck insulation will be furnished by BP 05A. Per BP 07A Specific Scope of Work item #21, Roofing will install insulation at acoustical deck. Reference deck type D3.5A on S1.02B and S1.03AB for locations.	Gilbane	Supplement #1
33	1/9/2024	Envelope		BP07A specific scope item #8 asks for break metal that is not shown. How should one quantify an item if it is not shown? If it is not shown shall it be assumed that it is not there? If it is required please specify a needed QTY to provide to others.	Closed	1/9/2024	GBC Response: Reference details E12/A5.20, F12/A5.21, E11/A5.23, and E9/A5.24. Condition occurs at metal panels, kalwall, curtainwall, and fiber cement panel locations.	Gilbane	Supplement #1
34	1/9/2024	Civil	L3.0	Reference drawing L3.0, should the 8 BJ (Whitebarked Himalayan Birch) plantings immediately North of the K-5 Playground be part of Alternate #12? They are currently listed as part of Alternate #10.	Closed	1/11/2024	Benesch Response: Addendum #1 indicates that the (8) BJ Whitebarked Himalayan Birch are part of Add Alternate #10 and are to remain there.	Benesch	Supplement #1
35	1/9/2024	Structural	03 30 00	Note specification section 03 30 00 section 3.10-D.2d states that the gymnasium is to have flatness FF 45 and levelness FL 35 with minimum local values of flatness FF 30 and levelness FL 24. In review of the basis of design gym flooring Tarkett Sports Indoor; Polyurf Plus Pad and Pour 9+2 the product specifications state the floor tolerances should be flatness FF 50 and levelness FL 30 min. Please advise if the flatness value for the gym should be revised to FF 50.	Closed	1/16/2024	TA & MHAI: spec section 03 300 00 will be revised to call for FF 50 to coordinated with BOD gym flooring requirements.	Tecton	Supplement #2
36	1/9/2024	MEPS	23 09 93, M0.10, E0.10	HVAC Controls sequence of operations specification section 230993-section 1.39 & 1.40 makes reference to controls interface required throughout the geothermal field. Drawings M0.10 & E0.10 do not show conduit pathways or wiring requirements for this work. Please review and revise the site plans accordingly.	Closed	1/11/2024	KR: The sections referenced include references to building equipment and system balancing. I.e. Main geothermal pumps (P-1 & P-2), loop temperature, pressure, and flow sensors, Etc. which are indicated on detail 9/M0.02. Control wiring for the geothermal vault sump pump shall be installed in conduit and follow a similar path as electrical power conduit serving the geothermal vault. See also geothermal vault detail incorporated in Addendum #1 for additional information and system components.	Kohler Ronan	Supplement #1

37	1/9/2024	Civil	M0.10	Please provide details for the geothermal vault and manifold assembly, reference M0.10	Closed	1/11/2024	KR: Detail will be issued in forthcoming addendum #1 for clarification.	Kohler Ronan	Supplement #1
38	1/10/2024	Envelope		Which trade contractor is responsible for receiving, storing, and covering the acoustical deck insulation?	Closed	1/10/2024	GBC Response: BP 05A shall protect and store until BP 07A mobilizes to site. Once BP 07A is on site, BP 07A will receive, store, and protect the acoustical deck insulation.	Gilbane	Supplement #1
39	1/10/2024	Envelope		There are no curb details for roof mounted equipment for this project. Could you please provide a detail showing the extent of the wood blocking at all roof mounted equipment?	Closed	1/16/2024	TA: There is minimal roof mounted equipment on this project, refer to details K6 & K12 / A2.20 for typical equipment curb details.	Tecton	Supplement #2
40	1/9/2024	Architectural	13 34 23	Bid Package 10A Specific Items Note 24 indicates General Trades in addition to the structure, is to include footings, frost walls, and slab on grade. Specification 133423 2.03 F indicates no floor structure for direct placement on slab while 3.02 B specifically indicates for the structure to be set on asphalt or crushed stone. Please advise on the following: a. Please confirm material structure is to be set on. b. If to be concrete, the pad seams to only appear on the Site drawings and no other details are provided. Please provide details of footings, walls, and slab. c. As there are already two other bid packages for concrete and concrete specification is assigned to those packages and not General Trades, kindly consider reassigning this concrete work to one of those packages as they will already be onsite performing concrete work.	Open		a. Benesch to respond b. Benesch to respond c. Gilbane to address pending response to part a and b	Benesch	
41	1/9/2024	Architectural	13 34 23	The Barn Yard Traditional Cape, and equivalent models from other specified manufacturers, is not available with sectional doors on the long wall. Also, in order for this model to be floorless, a 6x6 PT frame around the entire perimeter is required and all doors are set on top of this frame, creating a stepover (these can not be removed after installation as the doors would remain +/- 6" off the ground). Specification also mentions a single door where indicated on drawing, no drawing found in documents. Based on the location for this structure on the site plan the doors will need to be on the long wall, which will likely require a different model to be specified. Please clarify specification and provide a drawing for manufacturers to quote for this structure.	Open			Benesch	
42	-	-	-	Not Used.	Closed	-	-	-	-
43	1/10/2024	Envelope	A2.20 & A5.13	The typical roof details B3 on A2.20 mentions 3 layers of ISO but detail H6 on A5.13 says 4 layers of ISO. Please clarify the minimum R-value.	Closed	1/16/2024	TA: (3) layers of 2" thick poly-iso roof insulation (R-30+/-) is required.	Tecton	Supplement #2
44	1/10/2024	Architectural	06 40 23	Reference 06 40 23 2.02 - JABG3-94 is not a valid Mockett part number and they do not offer a grommet that meets all criteria, nor do Richelieu or Rockler, who are specified as acceptable alternates. Please offer more options for the required grommets for cable passage through countertops.	Open			Tecton	
45	1/10/2024	Architectural		Are dust panels required above casework? If so, do they reach the ceiling or is there a specific height they should slope to?	Closed	1/16/2024	TA Response: dust panels are not required above casework.	Tecton	Supplement #2
46	1/10/2024	Architectural	A7.71	Regarding the Admin. Counter shown on D7/A7.71, what are the finishes on the opposite side of the desk that is not shown?	Open			Tecton	
47	1/10/2024	Architectural	A6.59	Please confirm that the note for "PC-2" on the Media Office Circulation Desk at M36.3 (K3/A6.59) is a typo and should read "PL-2". If not, please provide details for the PC-2 finish.	Closed	1/16/2024	TA: "PC-2" is a mistake, "PL-2" is the correct material designation.	Tecton	Supplement #2
48	1/10/2024	Architectural	A6.59	Regarding the Media Office Circulation Desk at M36.3 (K3/A6.59), what are the finishes on the opposite side of the desk that is not shown?	Open			Tecton	
49	1/10/2024	Architectural	A6.59	What is on the wall at the 9 ft. mark in elevation H5/A6.59 for Media Office M36.3?	Closed	1/16/2024	TA: that is a type APC-5 ceiling cloud	Tecton	Supplement #2
50	1/10/2024	Envelope		Please verify if a vapor barrier and/or substrate board is to be installed throughout the membrane roof area.	Closed	1/16/2024	TA: A continuous vapor barrier is to be installed throughout the membrane roof area. Substrate board is not in the project scope and all references were deleted from the roofing spec under addendum #1	Tecton	Supplement #2
51	1/10/2024	Architectural	10 41 16	Please confirm quantity of required Emergency Key Cabinets. Specification 104116 2.02.A.1 calls for two but, General Trades Specific Scope of Work 14 seems to indicate only 1.	Closed	1/16/2024	GBC Response: Provide the quantity called for in the specifications.	Gilbane	Supplement #2
52	1/10/2024	Architectural	10 44 00	There is a specification 104400 for Fire Extinguishers and Cabinets however, the drawings nor specifications identify locations or quantities. Please clarify requirements	Closed	1/16/2024	TA: portable fire extinguishers are required, floor plan showing locations and quantities will be issued under addendum #2.	Tecton	Supplement #2
53	1/10/2024	Architectural	10 12 00	There is a specification 101200 for Display Cases however, the drawings only appear to show custom and specifications does not indicate quantities or sizes. Please advise if any are required.	Closed	1/16/2024	TA: all display cases in the project scope are custom casework regulated under spec section 06 40 23. Section 10 12 00 is not applicable and will be deleted from the project.	Tecton	Supplement #2
54	1/10/2024	Architectural	10 11 00	There are multiple rooms (i.e. Guidance, Principal, K-5 SE, Storage, Math Coach, etc.) that show TB and/or WB but no elevations are provided. The rooms that have elevations show 4'x6' and/or 4'x8' boards. Please advise on size of boards for rooms that do not have elevations.	Open			Tecton	

55	1/10/2024	Architectural	10 11 00	Interior Elevations show areas in the corridor as having WC-1A. Both specification 101100 and Material Schedule indicate WC-1A is 48" roll. Kindly Advise on the following: a.Are WC-1A locations to only receive a single 48" band or is the WC-1A full height (Floor to Ceiling). b.Are exposed edges to receive trim? If so, please advise on product / detail to be used.	Closed	1/16/2024	TA: a. Material shall be full height as shown in elevation. B. Refer to details B8, D6 & D8 on dwg I0.12	Tecton	Supplement #2
56	1/10/2024	Architectural	I2.10B	I2.10B Room M71 indicates WC-1B,2 along with paint for wall finishes. There are no elevations of this room. Is this indicating WC-1B & WC-2 are in this room? Please advise on extents of each product.	Open			Tecton	
57	1/10/2024	Architectural	12.20B	I2.20B Room L03 indicates WC-1A as a wall finish. There are no elevations of this room. Kindly provide extents of WC-1A for this room.	Open			Tecton	
58	1/10/2024	Architectural	A10.10 & 10 14 00	The following signs are shown on A10.10 or are in specification 101400. However no locations or quantities are shown or indicated. Kindly advise on quantities and/or locations for: a.Drawing A10.10 G11, Informational Sign b.Drawing A10.10 K7, Directional Sign Type D c.Specification 101400 2.02 D, Interior Emergency Exit Maps d.Specification 101400 2.02 E, Carbon Monoxide Notice	Open			Tecton	
59	1/10/2024	Architectural	A10.12 - A10.14	Signage Schedule on Drawing A10.15 has multiple rooms listed that do not have sign tags associated with them (i.e. Dish Pit, Corridors, Vestibules, etc.) on Drawings A10.12-14. Are any signs required for these rooms?	Open			Tecton	
60	1/10/2024	Architectural	101400	Specification 101400 2.04 B.2 calls for bronze plaque. However, 2.04 C indicates aluminum. Please confirm correct material for plaque.	Closed	1/16/2024	TA: plaque material to be bronze.	Tecton	Supplement #2
61	1/10/2024	Architectural	A10.10	Sign Type S is drawn as having a name insert area. Name inserts are typically used for classrooms and offices. However, these signs are also shown at mechanical, storage, IDF, and similar rooms. Please confirm if the mechanical and similar rooms are to have the inserts or not.	Open			Tecton	
62	1/11/2024	Envelope		Please provide an elevation and details of the exterior wall mockup so we know how much to carry.	Open			Tecton	
63	1/11/2024	Architectural	064023 & 064113	Section 064023 and 064113 include requirements for FSC-certified wood products, but the wood is specified as Baltic Birch, which is not an FSC-certified product as it is imported from Russia and other Baltic countries. In 064113, there are additional requirements for sequence-matched veneers which is also not possible with Baltic Birch. Please clarify these issues.	Closed	1/16/2024	TA: FSC-certified wood requirements will be deleted from the spec sections. The requirement for sequences matched veneers does not apply to the Baltic Birch material.	Tecton	Supplement #2
64	1/11/2024	Architectural	09 84 36	Please confirm if Frasc Acoustics BRIK is an acceptable alternate for the Sound Absorbing Units in spec 09 84 36. Reference the attached substitution request form.	Closed	1/16/2024	TA: As submitted this request is rejected as the provided point-by-point comparative data is not adequate for us to review and compare against the basis of design product..	Tecton	Supplement #2
65	1/11/2024	MEPS	Proposal Form	Which bid package is responsible for the installation of backboxes and conduit for the IT data outlets?	Closed	1/16/2024	GBC Response: Installation of backboxes and conduit for the IT data outlets are the responsibility of BP27B.	Gilbane	Supplement #2
66	1/11/2024	MEPS	TN4.01	Please refer to drawing TN4.01 Detail 1. Is the 24 ST SMF, 24 ST MMF and 25-Pair CAT5E copper backbone in conduit or exposed on j-hooks?	Open			Kohler Ronan	
67	1/11/2024	Architectural	C5/IO-12	Reference C5/IO-12 Marble Threshold @ Resilient Flooring. This detail shows a marble threshold at resilient to resilient flooring. Please confirm which Bid Package is responsible for the marble threshold at these locations.	Closed	1/16/2024	BP 09E Tile is responsible for all thresholds specified under 09 31 00	Gilbane	Supplement #2
68	1/11/2024	Architectural	A8.10	A8.10 Door Schedule "Sill" column is blank. The locations of C5/IO-12 cannot be determined from the documents. Please advise.	Open			Tecton	
69	1/11/2024	Architectural	I0.12	IO-12 Finish Details Showing Metal Edge Trims at Tackboard Schluter Quadec (TE-4) metal trims are shown at tackboard. These trims have an anchoring leg that is placed behind the product when installed. The tile contractor is not installing the tackboard and should not provide or install the TE-4 trim behind it: Detail B8: Tackboard in middle of wall with TE-4 at edges, no tile located near it. Detail D8: Tackboard above vinyl base with TE-4 at edges, no tile located near it. Detail D6: Tile terminated with TE-3 Schluter Jolly edge installed under tile, Tackboard adjacent with TE-4 Installed under tackboard.	Open			Gilbane	

70	1/11/2024	Architectural	IO.10 & IO.12	<p>TE-3 Tile Edge Trim Type/Finish/Locations</p> <p>Type/Finish: IO.10 Material Legend specifies TE-3 as Schluter JOLLY PVC Finish. B12/IO.12 Refers to TE-3 at "Top & Vertical edges of tile" to be "Metal Edge Strip". Which is correct PVC or Metal? If metal, specify type/finish. (aluminum, stainless steel, etc.)</p> <p>Locations: B12/IO.12 shows TE-3 JOLLY at "top & vertical edges" of Tile: TE-3 to be used at top of tile wall wainscots. Please confirm. B10/IO.12 shows TE-4 QUADDEC at tile outcorners (vertical edges?) Which is correct at tile vertical outcorners TE-3 or TE4? NOTE: JOLLY and QUADDEC corner pieces are NOT compatible to each other.</p>	Open			Tecton	
71	1/11/2024	Architectural	IO.12	<p>G8/IO.12 Pattern "A" Colors</p> <p>G8 Pattern "A" is shown with four colors that repeat. The Tile is shown as 3x6 which is WT-2A through WT-2L (12 colors) on IO.10 Material Legend. Which WT-2 colors are used in Pattern "A"?</p>	Open			Tecton	
72	1/11/2024	Architectural	IO.12	<p>G5/IO.12 Pattern "B" Colors</p> <p>G5 Pattern "B" states "Pattern composed of 7 colors". Tile size is 4x12 which is WT-1A and WT-1B (two colors) on IO.10 Material Legend. Confirm colors required for pattern "B". If colors are not known, color price groups are needed for pricing purposes.</p>	Closed	1/16/2024	TA: Tile pattern B is composed of one color, refer to finish plans and elevations for wall tile designations.	Tecton	Supplement #2
73	1/11/2024	Architectural	A6.21	<p>Reference A6.21 for Wall Tile Elevation Questions</p> <p>1. Pattern "C" non-wet wall elevations show 5'-0" tile wainscot but description states "Full Height, Typ." Please confirm wainscot is correct as drawn.</p> <p>2. D8 shows full height 3x6 tile which is Pattern "A" but description states "Pattern C". Please confirm Pattern "A" is correct.</p> <p>3. K6 shows wainscot height 4x12 tile which is Pattern "C" but description states "Pattern A". Please confirm Pattern "C" is correct.</p>	Open			Tecton	
74	1/11/2024	Architectural	I2.10A	<p>Toilet M13.2 Wall Finish Conflict</p> <p>I2.10A Finish Plan shows EPT-1 Epoxy Paint wall finish at M13.2. A6.21 does not have elevations for M13.2 but the adjacent Health Services Toilet M13.1 shows wall tile typical of other toilets. Please clarify if M13.2 receives wall tile like M13.1.</p>	Closed	1/16/2024	TA: paint EPT-1 in toilet room M13.2 is wrong, wall finish to be tile and paint to match toilet room M13.1. Finish plan will be revised and re-issued under addendum #2.	Tecton	Supplement #2
75	1/11/2024	MEPS	21 13 16	Please provide spec section 21-06-50, this is called out in section 21-13-16 2.04F and not provided.	Open			Kohler Ronan	
76	1/11/2024	MEPS		Drawings show and seem to call out a factory assembled pre-action cabinet while the specs seem to call for standalone deluge valve and all the required accessories. Please clarify the intent of what style of PA system is required.	Open			Kohler Ronan	
77	1/11/2024	MEPS		Reference RFI 76: If pre-action cabinet is required, please list acceptable manufacturers?	Open			Kohler Ronan	
78	1/11/2024	MEPS		Specs seem to call out every option for a PA system: accelerator, nitrogen system, etc. ... all for a 1 or 2 sprinkler head system? Please clarify what options are required on the PA system.	Open			Kohler Ronan	
79	1/11/2024	MEPS		Which Bid Package is responsible to furnish and install the pre-action alarm devices and what type / how many of the alarm devices listed are required? FP drawing shows one smoke detector only in each IDF room.	Open		GBC Response: BP21A shall furnish and install the pre-action alarm devices and shall provide a module for tie-in for the building Fire Alarm system by BP28A. Kohler Ronan shall answer the question regarding quantity of devices.	Kohler Ronan	
80	1/11/2024	MEPS		Does a one or two head PA system, covering one room, require cross zoning?	Open			Kohler Ronan	
81	1/11/2024	MEPS		Specifications and drawings call for a 400 GPM fire pump? Please verify size, as usually it is a 500 GPM pump.	open			Kohler Ronan	
82	1/11/2024	MEPS		Please provide required pump PSI as there seems to be no pressure listed for the fire pump?	Open			Kohler Ronan	
83	1/11/2024	MEPS		A limited service controller is not permitted with a 40 HP motor, please advise.	Open			Kohler Ronan	

84	1/11/2024	MEPS		Low suction shut down panels are no longer being used or sold, please advise.	Open			Kohler Ronan	
85	1/11/2024	MEPS		Remote alarm panels do not take the place of a fire alarm system, please advise.	Open			Kohler Ronan	
86	1/11/2024	MEPS		Specs appear to call out all the alarms and options available that may not be required, please advise.	Open			Kohler Ronan	
87	1/11/2024	MEPS		Specs call out a flow meter but it is not shown on drawings. Please advise if flow meter is required.	Open			Kohler Ronan	
88	1/11/2024	MEPS		Where does the fire protection scope of work to begin? Usually, FP work starts 5 feet outside the building or at the first flange before the backflow.	Open			Gilbane	
89	1/11/2024	MEPS		Which Bid Package is required to furnish and install the backflow hot box and the internal electric heaters?	Open			Gilbane	
90	1/11/2024	MEPS		Please confirm that FP contractor is to provide the UG Break Tank, fill vault and all associated appurtenances including devices & panels.	Open			Gilbane	
91	1/11/2024	MEPS	FP3.02	Reference detail 7/FP3.02Please clarify the intent to provide a reduced pressure backflow in the hot box. If the intent is to provide a RPZ, does there need to be a drain cap as a 10" drain to grade seems to be open to atmosphere?	Open			Kohler Ronan	
92	1/11/2024	MEPS		Please confirm the painter owns painting the FP piping called out on FP1.02A to be provided as a custom color.	Closed	1/16/2024	GBC Response: confirmed	Gilbane	Supplement #2
93	1/11/2024	Architectural / MEPS		Which Bid Package is responsible to provide the kitchen hood system?	Closed	1/16/2024	GBC Response: BP11A	Gilbane	Supplement #2
94	1/11/2024	MEPS		Is the Cat 6A / Backbone cable within the building required to be Plenum or Riser rated? Specs note both.	Open			Kohler Ronan	
95	1/11/2024	MEPS	TY0.01	On drawing TY0.01, security legends note Cat 6A cabling for various devices. Which Bid Package is responsible for providing security device and camera Cat6A cabling?	Open			Gilbane	
96	1/11/2024	MEPS		Which Bid Package is responsible for the box and penetration for exterior cameras?	Open			Gilbane	
97	1/11/2024	MEPS		Which Bid Package is responsible for providing IDF closet UPS and PDUs? Please provide power strip part number if required.	Open			Gilbane	
98	1/11/2024	MEPS		Which Bid Package is responsible for the outside 2" conduits to the site parking lot poles for the One Reach cabling?	Open			Gilbane	
99	1/11/2024	MEPS		Which Bid Package is responsible for supplying and installing the Nema4x WAP enclosure for the site poles? Which Bid Package is responsible for supplying and installing the WAPs for the project?	Open			Gilbane	
100	1/11/2024	MEPS	27 16 11	Spec 27 16 11 Communications Hybrid Cabling states that the requirement for OSP fiber and copper hybrid cable are "sharing a common jacket"... Please provide mfg. options other than BerkTek One Reach to meet this requirement or another option aka (2) separate cables.	Open				
101	1/11/2024	MEPS		Provide quantities of copper and fiber patch cords required. None listed in specs.	Open			Kohler Ronan	
102	1/11/2024	MEPS		Please provide the frequencies for the Public Safety BDA System. If not available, please provide the specs. Aka 700/800 Public Safety. VHF/UHF MHZ range to properly quote.	Open			Kohler Ronan	
103	1/11/2024	MEPS		Is the Public Safety BDA System on the local town system or are they on the State of CT P25 CLRM system?	Open			Kohler Ronan	
104	1/11/2024	MEPS		RSI, Radio Solutions Inc. is a leading manufacturer for BDA systems in Norwell Mass. They currently have multiple systems in CT. Any objection to this mfg.?	Open			Kohler Ronan	
105	1/11/2024	Architectural	10 28 00	Specification 10 28 00 2.03.B calls for 1" diameter grab bars with non-slip grip finish in the Pre-K toilet rooms. Note the following: a.Non-slip finish is not available with 1" bars. Please advise. b.Also note that 1" bars are only available in 18", 24", 30" & 36" lengths. Please advise.	Open			Tecton	
106	1/11/2024	Envelope		Alternate 1 for the sunshades have no details or specifications for them, please clarify.	Closed	1/16/2024	TA: provide pricing to include storefront Mfrs standard exterior sun shades attached to the exterior storefront system.	Tecton	Supplement #2
107	1/11/2024	Civil		In the scope for site work it states that athletic seeding is in the site work scope, is this correct?	Open			Gilbane	
108	1/11/2024	Civil	L3.0	Can you clarify is all of the planting included in Alt #12 and none in the base bid?	Closed	1/15/2024	Reference Bid RFI 023 - Drawing L3.0 indicates which plants shall be priced for Alternate #12.	Gilbane	Supplement #2
109	1/11/2024	Civil	L3.0	Can you show what plantings are to be included in Alt #10	Closed	1/15/2024	Reference Drawing L3.0 for plants associated with Alternate #10.	Gilbane	Supplement #2
110	1/11/2024	Architectural	10 22 26	Spec 10 22 26 Para 1.05F – please confirm this delegated design is not required because the partition is installed on new structural steel.	Open			Tecton	

111	1/11/2024	Architectural	10 22 26	Spec 10 22 26 Para 3.02– please confirm that the Metals Bid Package will provide the holes in the steel for the operable walls based on the templates provided by the Operable Wall subcontractor.	Closed	1/16/2024	GBC Response: Confirmed, BP05A shall provide holes in the steel for the operable wall partitions at the stage. BP09A shall be responsible for providing the layout to BP05A prior to fabrication, otherwise BP09A shall provide the holes after the steel is erected.	Gilbane	Supplement #2
112	1/11/2024	Architectural	10 22 26	Spec 10 22 26 Para 3.04 – please confirm this testing will be hired and performed by the Owner.	Open			Gilbane	
113	1/11/2024	Architectural	10.10 & 10 26 00	Drawing 10.10 CG-1 is noted to be provided at all exposed drywall corners in corridors. Drawing 12.10A (and other drawings) show CG as some exposed drywall corners in corridors. Please clarify the extent of the CG-1.	Open			Tecton	
114	1/11/2024	Architectural	10 26 00	Spec 10 26 00 – please clarify the butt joint treatment for the wall panels products. Will the joint be exposed caulking or plastic trims?	Open			Tecton	
115	1/11/2024	Architectural		Please confirm the Electrical Bid package will provide all LINE voltage/power for the items provided by BP 06 General Trades.	Open			Gilbane	
116	1/11/2024	Architectural		Please confirm the Electrical Bid package will provide all LOW voltage for the items provided by BP10A General Trades.	Open			Gilbane	
117	1/11/2024	Architectural	A6.53	What is the finish named WP-3a, as shown on B9/A6.53?	Closed	1/16/2024	TA: the 'WP-3A' designation was corrected to read 'WC-3a' under the addendum #1 package.	Tecton	Supplement #2
118	1/11/2024	Architectural		Which Bid Package is responsible for corner guards when walls are anything other than WP-3?	Open			Gilbane	
119	1/11/2024	Architectural	A7.72	Are the Millwork benches, as shown on D6/A7.72 intended to be Solid Maple or is Veneer acceptable?	Open			Tecton	
120	1/11/2024	Architectural	A6.54	What do the lower case letters signify on the finishes, such as "WP-3d" in K3/A6.54?	Closed	1/16/2024	TA: The 'WP-3d' reference was an error and changed to 'WC-3d' under addendum #1. For 'WC-3d' the lower case letters identify custom graphics for the wall protection panels, 10 graphics in total. Refer to Material list on dwg 10.10 and spec section 10 26 00 2.07 for additional information	Tecton	Supplement #2
121	1/11/2024	Civil		1. Which bid package owns the compacted processed aggregate for the grass paver? 2.Regarding Specific Items #10 in BP32B which Bid Package is responsible for providing the 6" of top soil in all lawn areas and who owns the 18" of topsoil in all planting areas?	Open			Gilbane	
122	1/11/2024	Civil		Can you provide more details/plans on the A/E Alternate No. 10: Pollinator Pathway? We see on the Materials Plan L1.0 - "SS" to be a stabilized stone dust path...however, we don't see reference to a pollinator path on the drawings. Looking for clarification on what required on base bid vs. Alternate #10.	Open			Gilbane	
123	1/11/2024	Civil		Is there an approved equal to the "Grass Pavers (Landscape Details L4.0 G7). Any more details/specs available?	Open			Gilbane	
124	12/22/2023	MEPS		26B specific scope item #23 states to coordinate with BP 27A to verify cams will be accommodated by network switches provided by BP27A. Typically switches are an FFE item, please confirm network switches are by owner, there is no spec.	Open			Kohler Ronan	
125	1/12/2024	Architectural		Can you please help clarify ADD ALT No. 7. The plans have notes for the alternates on multiple pages and are not consistent. Is the roll-down shutter part of the base bid or to be included with ADD ALT No. 7?	Closed	1/16/2024	GBC Response: Kitchen roll-down shutter is part of Alternate #7	Gilbane	Supplement #2
126	1/12/2024	MEPS	M1.01B	On drawing M1.01B there is a 2" GR & GS pipe which looks like it is being fed from the lower-level mechanical room (detail 3 M3.00). This pipe is not shown on the second floor as being picked up by the main distribution from the mechanical room. Where and how is this pipe run down to the lower-level area B from the main level mechanical room area B. Reference RFI 127 attachment.	Open			Kohler Ronan	
127	1/12/2024	Civil	L1.1	L1.1 Landscape drawings reference L1.2, L1.3, L1.4, however these drawings are not included in the bid documents. Please provide, or delete reference.	Open			Benesch	
128	1/12/2024	Civil	C4.0	C4.0 Precast Catch Basin detail – please provide the sump depth	Open			Benesch	
129	1/12/2024	Civil		BP 31B Scope of Work, Specific Items, #10 & #11 – BP32B will handle the Athletic Field Root Zone Mixing: 1. Does this include both Multi-Purpose Natural Field Turf #1 & #2? 2. Does BP31B need to install any topsoil in these areas?	Open			Gilbane	
130	1/12/2024	Civil		BP31B Scope of Work, Specific Items, #10 – what is the thickness of topsoil to be installed by BP31B for all seeded/general areas?	Open			Benesch	
131	1/12/2024	Civil		BP31B Scope of Work, Specific Items, #10 – can all stripped topsoil be exported and new amended topsoil be imported by BP31B contractor?	Open			Benesch	
132	1/12/2024	Civil	P1.01U & P1.02U	Are we to assume all piping shown on P1.01U & P1.02U to be under slab and will require excavation and backfill?	Closed	1/16/2024	Yes	Gilbane	Supplement #2

133	1/12/2024	Civil		Is there an environmental report for the existing soils? If no, should all exported soils be considered "clean"? During the pre-bid walk through it was stated this site is an import. However, considering topsoil, the non usable subsoil layer and surplus from all foundation excavations and utilities, material will need to be exported. Please direct on how to classify.	Open			Benesch	
134	1/12/2024	Civil		Does the owner own all compaction testing?	Closed	1/16/2024	GBC Response: Yes, the Owner will engage a testing company to perform compaction testing.	Gilbane	Supplement #2
135	1/12/2024	Civil	31 23 10	Reference 31 23 10, Section 1.9 Testing, B – "borrow and fill" refers to imported material?	Open			Benesch	
136	1/12/2024	Civil	S0.00 & Geotechnical Report	1. Drawing S0.00, Slab on Grade, Item 1 calls for 4" of ¾" crushed stone under all building slabs on grade. The Geotech report, Page 6 of 11, Item #6 states "minimum...9in of compacted structural fill" under all building areas. Should the detail thickness to subgrade be a total of 5" conc slab + 4" crushed stone + 9" structural fill = total 18"? Please confirm requirements. 2. Also, please confirm the glaciofluvial material will be approved for structural fill.	Open			Benesch	
137	1/12/2024	Civil	Geotechnical Report	Geotech Report, Page 8 of 11, paragraph 3 states "we suggest that soils that appear to be suitable for reuse on the site be separately stockpiled and gradation tests be completed on the stockpiled material to determine if they satisfy gradation criteria". There are roughly 20,000cy of the glaciofluvial suitable material on site which will be cut and installed into fills. Please confirm if ALL of this material must be 1) stockpiled, 2) what size piles will be required 3) if the owner will be responsible for the testing.	Open			Gilbane	
138	1/12/2024	Civil	Geotechnical Report	Reference 12" crushed stone at underslab drainage; Geotech Report, Drawing 7, Criteria for Foundation Drains: 1. Please confirm this is the only under slab drainage system required 2. Please confirm if the 12" layer shown in the detail on this page is to cover the entire under slab drainage area, or just a 12" envelope around the 4" piping?	Open			Benesch	
139	1/12/2024	Civil	31B Proposal Form	BP31B Scope of Work, Specific Items, Item #9 – please clarify "BP31B is required to balance site".	Closed	1/16/2023	GBC Response: BP31B is responsible for importing and exporting as necessary to meet design grades. Surplus material shall be exported by BP31B. If material is needed that is not onsite, then BP31B shall import it.	Gilbane	Supplement #2
140	1/12/2024	Civil	31B Proposal Form	BP31B Scope of Work, Specific Items, Item #17: 1. Item a – is Connecticut Water Co supplying and installing the items listed? 2. Item b – "blow off assemblies, including laterals and gate valves at the assembly are by BP31B". Confirm this is supply and install 3. Item f – confirm this is supply and install 4. Item g – confirm this is supply and install 5. Item h – confirm this is supply and install 6. Item o – "filing for and obtaining all necessary permits" this should exclude any wetlands and zoning issues. Please elaborate on permit scope 7. Item r – during the installation of the water main extension and misc construction in Mungertown Road, can 1 lane be closed for the duration of the construction (i.e concrete barriers, temp traffic signals, etc) or will all work require steel plates for two lane traffic at night? (Detailed drawings should be included approved by the city of Madison?)	Open			Gilbane	
141	1/12/2024	Civil	C4.2	Drawing C4.2 indicates concrete box culverts. Please indicate location.	Open			Gilbane	
142	1/12/2024	Civil	Proposal Form	BP31B Scope of work, General Item#12-states to provide, maintain and remove roof protection under ladders, all work area, etc. Logistic drawing SL1.01 note I and J provide temp scaffold stairs and overhead plywood protection. Please clarify if items are to remain in BP31B.	Open			Gilbane	

143	1/12/2024	Civil	BP31B Proposal Form	BP31B Scope of work, Specific Item#35 and #45 states include slab and foundation insulation. Description of work Excluded #2-slab and foundation insulation by BP03A. Please clarify.	Closed	1/16/2024	GBC Response: Reference Supplement #1 - Description of Work Excluded #2 - slab and foundation insulation by BP 03A - Item is deleted	Gilbane	Supplement #2
144	1/12/2024	Civil	SL1.01	Logistic drawing SL1.01 note A states establish road subbase for haul roads. Please indicate if imported material and certain depth is required.	Open			Gilbane	
145	1/12/2024	Civil	SL1.01	Logistic drawing SL1.01 trade parking, Gilbane trailer and material storage/laydown areas have no notes regarding new construction. Please indicate if imported material and certain depth is required.	Open			Gilbane	
146	1/12/2024	Civil	BP31B Proposal Form	Spec section #320529-Glacial boulders for exterior improvements is missing.	Closed	1/16/2024	GBC Response: Spec Section reference in proposal form shall be deleted.	Gilbane	Supplement #2
147	1/12/2024	Civil	L4.4	K12/L4.4 – BP31B owns the trench drain. Which Bid Package is responsible for the concrete wing walls?	Open			Gilbane	
148	1/12/2024	Civil	L4.3	K12/L4.3 – BP31B owns excavation, backfill and prep. Which Bid Package is responsible for the stone masonry?	Open			Gilbane	
149	1/12/2024	Civil	L4.3	F12/L4.3 – which Bid Package is responsible for the concrete footing?	Open			Gilbane	
150	1/12/2024	Civil	L4.3	K9/L4.3 – BP31B owns the excavation & backfill and prep. Which BP owns Furnish & Install of the block seat wall?	Open			Gilbane	
151	1/12/2024	Civil	Proposal Form	BP31B Bid Form, Pages 6 & 7 list Alternates No.1 – No.12. Please delineate which alternates BP31B is responsible for.	Open			Gilbane	
152	1/12/2024	Civil	Alternate 4	Alternate #4 – “provide sidewalk outside of Project limits fronting Mungertown Road”. Does this alternate include the following: 1. Sawcutting the existing road and removal of asphalt 2’ into the existing road? 2. Furnish & Install of “CC” (concrete curb) as noted on L1.0? 3. Restoration of the existing road? 4. Furnish & Install new asphalt sidewalk?	Open			Gilbane	
153	1/12/2024	Structural	S1.00A	Column Line “L” between columns 7.6 & 7.1, there are no TOW shown. Structural reference the Architectural but do not provide TOW Elev. Same scenario on the North side between the same column lines.	Open			MHAI	
154	1/12/2024	Structural		Detail “K9” on A8.11 calls the exterior sealant to be by 03A, should this be by site concrete.	Open			Gilbane	
155	1/12/2024	Structural		Horizontal insulation is shown on the Architectural and Structural Drawings. On A1.30A the horizontal insulation for the radiant slab (Add Alternate #5) is called out to be by Bid Package 31B, what Bid Package is responsible for the horizontal insulation on all other locations as shown.	Open			Gilbane	
156	1/12/2024	Structural	07 13 26	Please confirm waterproofing (07 13 26) is only on the interior high wall (Column Line 7 between columns L & D) and at elevator pit.	Closed	1/16/2024	TA: confirmed	Tecton	Supplement #2
157	1/12/2024	Structural	07 11 13	Please confirm if all exterior foundation walls get dampproofing (07 11 13).	Closed	1/16/2024	TA: confirmed	Tecton	Supplement #2
158	1/15/2024	Structural		What bid package owns the masonry wall clips that attach to the steel?	Open			Gilbane	
159	1/4/2024	Architectural		Snow removal at roof deck is part of the roofing scope. No one would have any idea how to price this item because no one knows what the weather will be. Therefore we suggest an allowance be set up and used as directed by the CM/ and tracked daily on EWO's (if even used). Any unused money would be returned to owners.	Open			Gilbane	
160	1/15/2024	Civil		1. Which bid package is responsible for furnishing and installing the playground equipment? 2. Are there specifications and details for these items?	Closed	1/16/2024	GBC Response: Playground structures and rubber surfacing to be installed as part of Phase 4/FF&E (by others) and are not part of the Phase 2 project scope.	Gilbane	Supplement #2
161	1/15/2024	Civil	C5.0	Is the project required to mill and overlay Greenhill and Mungertown Road when the water main installation is complete?	Open			Benesch	
162	1/15/2024	Civil	C5.0	Are flaggers or police details required for the water main extension roadwork? Typically with state projects we are provided the hours we should carry in the bid for flaggers or an estimate is provided for police details. Can an allowance be created for the traffic control needed for the water main extension?	Open			Gilbane	
163	1/15/2024	Civil	Alternate 11	Please refer to alternate 11: 1. Who is responsible for furnishing and install the prefabricated storage structure? 2.Please provide specs and details for this structure.	Open		1. Gilbane to respond Benesch to respond - also reference Bid RFI 040 2.	Benesch	

164	1/15/2024	Architectural	07 41 13.16	<p>In specification 07 41 13.16 Standing Seam Roof Panels 2.02 B. an ATAS Dutch Seam MRD150 is specified as the basis of design. The spec also lists Pac-Clad Integral Standing Seam. These are the only two manufacturers listed. The difference between the two is that the ATAS product comes in .040 aluminum as specified in 2.02 B. no. 2 and the Pac-Clad is only offered in .032 aluminum as I have been told by the Pac-Clad sales representative/ supply house.</p> <p>1)Is the Pac-Clad product listed acceptable although it only comes in .032 aluminum? 2)If the listed Pac-Clad product is acceptable in .032 aluminum, can Firestone/ Elevate roof panels in .032 aluminum be accepted as an equal? 3)Can Imetco Standing Seam Roof Panels also be approved as an equal, I believe that these come in both .032 and .040 aluminum? 4)If none of the mentioned panels are acceptable could the architect/ design team provide 2 other manufacturers that are equal to the ATAS product as this is a public project?</p>	Open			Tecton	
165	1/15/2024	Civil	M0.10 & 23 21 13.33	<p>With regards to the Geothermal System, the Addendum 1 Mechanical Site Plan (M0.10) and spec section 23 21 13.33 2.06 indicates a Concrete Vault Structure on the plan, however in the added detail on M01.0 the same vault is indicated as an HDPE Vault Structure in the material list to the right. Please advise as to which is correct.</p>	Open			Kohler Ronan	
166	1/15/2024	Architectural		<p>"Stage Curtain" is listed under BP11B. We have found the specification however none of the drawings indicate that there is a need for a stage curtain. Please advise.</p>	Open			Tecton	
167	1/15/2024	Architectural		<p>1. Our product is spec'd in section 126623 of this bid. The spec calls for one of our products that is typically used in Arena's and requires a fork truck for operation and movement. Is it safe to assume that they will not want/have access for a fork truck to be driven inside the school? 2. Also, to confirm are these risers the ones shown on drawing A6.32 detail F4? 3. If so, these risers look to be built into a pocket. Are telescopic risers needed or would something not telescopic be acceptable? We have other options for both choices that would fit the space depending on what is needed.</p>	Closed	1/16/2024	<p>1. GBCo Response: Assume a forklift will not be permitted inside the building. 2. TA: The telescoping platform risers (Alternate #02) are shown in H3/A5.14, H10/A6.60 & K10/A9.10 3. TA: The risers are fit into a pocket (see detail K10/A9.10) are required to be telescopic.</p>	Tecton	Supplement #2
168	1/16/2024	Structural		<p>Detail E/S2.31 what holds up the 3 canopy rafters (WT12X38) that have no columns like all of the others do?</p>	Open			MHAI	
169	1/16/2024	Low Voltage			Open				
170	1/16/2024	Architectural	96766	<p>Section 096766 Fluid Applied Athletic Flooring. Instructions say to include logo on drawings. Drawing I0.12,H12 shows a gray circle but no logo. Can you provide a copy of the logo?</p>	Open			Tecton	
171	1/16/2024	Architectural	96400	<p>Supplement 1 added 09 64 00 to bid package 09D Drawing A6.34/K4 shows the hardwood finish floor to be 5/4". Elevations of adjoining sheathing of 5/8" and 1/8" resilient add to 3/4" yet shows as level. Please clarify.</p>	Open			Tecton	
172	1/16/2024	Architectural		<p>Bid Package 09D, item 18 regarding protection specifies Masonite on resilient athletic floors. Does this include Fluid Applied Athletic floors?</p>	Open			Gilbane	
173	1/16/2024	Architectural		<p>Bid Package 09D, Item 18 states to use ramboard or similar on light traffic areas. Does this include classrooms with VCT and if so, does it require wall to wall application?</p>	Open			Gilbane	